



FIG. 1




FIG. 2






FIG. 5




FIG. 6





FIG. 7



Technical drawing of a mechanical assembly, likely a hinge or joint, showing a side view and a cross-sectional view. The side view shows a long, thin component (1) with a curved end (2) and a central part (3). The cross-sectional view shows the internal structure of the joint, including a central block (3) and surrounding components (1, 2, 4, 5, 6). Various parts are labeled with numbers 1 through 6.

The diagram is a technical cross-section of a mechanical assembly. It features a long horizontal shaft or arm extending from a base on the left to a curved end on the right. The base consists of several components: a hatched block (1) on the left, a central white block (2) with a vertical dashed line through its center, and another hatched block (3) on the right. A hatched block (4) is positioned below the central block. A hatched block (5) is located at the far left of the base. A hatched block (6) is at the far right of the base. The shaft is supported by a hatched block (1) on the left and a hatched block (2) on the right. The shaft has a curved end on the right, with a hatched block (1) and a hatched block (2) at the tip. The shaft is labeled with numbers 1, 2, 3, 4, 5, and 6. The hatched blocks are labeled with numbers 1, 2, 3, 4, 5, and 6. The central block is labeled with number 2. The shaft is labeled with numbers 1, 2, 3, 4, 5, and 6. The curved end is labeled with numbers 1, 2, 3, 4, 5, and 6.

FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 19

Prior Art




FIG. 20

Prior Art

